(a) 100 parts by weight of a vinyl chloride resin,

(b) to 10 parts by weight of a graft copolymer which is obtained by polymerizing 25 to 75 parts by weight of a graft monomer component to 25 to 75 parts by weight of a crosslinked elastomeric polymer so that the total thereof is 100 parts by weight, and the methyl ethyl ketone-soluble portion of which has a reduced viscosity η_{sp}/c , where η_{sp} is specific viscosity and c is concentration of polymer in solvent in g/100 mL, of 1 to 5 measured at 30°C with respect to its 0.2 g/100 cc acetone solution,

said graft monomer component being composed of 40 to 100% by weight of methyl methacrylate and 0 to 60% by weight of at least one monomer selected from the group consisting of an alkyl acrylate having a C_1 to C_8 alkyl group, an alkyl methacrylate having a C_2 to C_6 alkyl group, an unsaturated nitrile and an aromatic vinyl compound, and said crosslinked elastomeric polymer being composed of 79.9 to 99.99 % by weight of an alkyl acrylate having a C_2 to C_8 alkyl group, 0.01 to 5% by weight of a polyfunctional monomer and 0 to 20% by weight of other monomers copolymerizable therewith, said other monomers being selected from the group consisting of monomers having a single vinyl group and organosiloxanes when they are used, and

(c) 10 to 30 parts by weight of calcium carbonate.

4. (Amended) The composition of claim 1, wherein said other monomers in said crosslinked elastomeric polymer are a member selected from the group consisting of alkyl acrylates other than those having a C_2 to C_8 alkyl group, acrylic esters, methacrylic esters, acrylic acid, metal salts of

Amendment under 37 C.F.R. 1.116 Hirokazu IGUCHI et al.

U.S. Patent Application Serial No. 09/700,171 Attorney Docket No. 001478



acrylic acid, acrylamide, aromatic vinyl compounds and their derivatives, acrylonitrile, methacrylonitrile, vinyl ether compounds, vinyl ester compounds, vinyl halides, vinylidene halides, cyclic siloxanes, alkoxysilanes and methacryloyloxysiloxanes.